

IN THE CLAIMS

Please amend the claims, as follows:

1. (Previously presented) A method for personalizing content in a network having a network infrastructure, **characterized in that** a mobile device personalizes content based on information contained in a rights expression voucher that accompanies the content.

2. (Canceled).

3. (Original) A method according to claim 1, **characterized in that** the step of personalizing includes encrypting a content encryption key using a local encryption key, which is derived from a terminal or subscriber identity module specific encryption seed.

4. (Original) A method according to claim 1, **characterized in that** the step of personalizing includes regenerating a local encryption key from the same encryption seed when needed, instead of storing the local encryption key, to ensure that the content cannot be used if the same encryption seed for the local encryption key is not present.

5. (Original) A method according to claim 1, **characterized in that** the step of personalizing includes using a tag contained in a rights expression voucher, the tag providing the wireless device or terminal a specific encryption seed for a key which is used for the local encryption of the content encryption key.

6. (Original) A method according to claim 5, **characterized in that** in the wireless device or terminal either a hardware or software implementation module is used to generate the key and encrypts the content encryption key using a terminal or subscriber identity module specific seed, which is provided in the rights expression voucher.

7. (Original) A method according to claim 1, **characterized in that** the step of personalizing includes using information related to either subscriber identity module, international mobile equipment identity, some terminal hardware function or the rights expression voucher.

8. (Previously presented) A method for personalizing content in a network, **characterized in that** the method comprises:

providing a mobile device content having a rights expression voucher with information that controls the content personalization therein; and

personalizing the content in the device in accordance with the information contained in the rights expression voucher.

9. (Original) A method according to claim 8, **characterized in that** the step of personalizing includes using device specific personalization information to personalize the content, including device specific hardware operations information.

10. (Original) A method according to claim 8, **characterized in that** the step of personalizing includes making the personalization by the local encryption of the content encryption key.

11. (Original) A method according to claim 8, **characterized in that** the step of personalizing includes encrypting the content encryption key using a local encryption key, which is derived from a terminal or SIM specific seed.

12. (Previously presented) A mobile device for operating in a network having a network infrastructure, **characterized in that** the mobile device comprises a voucher-driven on-device content personalization module for personalizing content based on information contained in a rights expression voucher that accompanies the content.

13. (Canceled).

14. (Currently amended) A mobile device ~~wireless terminal~~ according to claim 12, **characterized in that** the voucher-driven on-device content personalization module uses personalization information, including device specific hardware operations, to personalize the content.

15. (Currently amended) A mobile device ~~wireless terminal~~ (Original) according to claim 12, **characterized in that** the voucher-driven on-device content personalization module makes the personalization by a local encryption of a content encryption key.

16. (Currently amended) A mobile device ~~wireless terminal~~  
(Original) according to claim 12, **characterized in that** the  
voucher-driven on-device content personalization module encrypts  
a content encryption key using a local encryption key, which is  
derived from a terminal or subscriber identity module specific  
seed.

17. (Previously presented) A network having a mobile device  
and a network infrastructure, **characterized in that** the mobile  
device comprises a voucher-driven on-device content  
personalization module for personalizing content based on  
information contained in a rights expression voucher that  
accompanies the content.

18. (Canceled).

19. (Currently amended) A ~~wireless~~ network according to  
claim 17, **characterized in that** the voucher-driven on-device  
content personalization module uses personalization information,  
including device specific hardware operations, to personalize the  
content.

20. (Currently amended) A ~~wireless~~ network according to claim 17, **characterized in that** the voucher-driven on-device content personalization module encrypts a content encryption key using a local encryption key, which is derived from a terminal or subscriber identity module specific seed.

21. (Original) A method according to claim 1, **characterized in that** the step of personalizing includes encrypting the content or the rights expression voucher itself using a key generated from a seed derived from information in a rights expression voucher.

22. (Currently amended) A method according to claim 1, **characterized in that** the step of personalizing includes encrypting a content encryption key, the content, the rights expression voucher itself or a combination thereof, including using a device specific hardware function described in the rights expression voucher.

23. (Original) A method according to claim 5, **characterized in that** the field provides a method which is used for the local encryption of the content encryption key, the content, the rights expression voucher itself or a combination thereof.

24. (Original) A method according to claim 1, **characterized in that** the step of personalizing includes using a field contained in a rights expression voucher, the field providing the device, a device specific function which is used for the local encryption of a content encryption key.

25. (Currently amended) A method according to claim 8, **characterized in that** the step of personalizing includes encrypting a content encryption key, the content, the rights expression voucher, or a combination thereof, including using a device specific function derived from information in the a rights expression voucher.

26. (Currently amended) A mobile device according to claim 12, **characterized in that** the voucher-driven on-device content personalization module encrypts a content encryption key, the content, the rights expression voucher, or a combination thereof, including using a device specific function derived from information in the a rights expression voucher.

27. (Currently amended) A network according to claim 17, **characterized in that** the voucher-driven on-device content personalization module encrypts a content encryption key, the content, the rights expression voucher, or a combination thereof,

including using a device specific function derived from information in the a rights expression voucher.

28. (Original) A method according to claim 1, **characterized in that** the device to which personalized content is bound includes not only the device itself, but also other devices coupled to the device.

29. (New) A method according to claim 1, **characterized in that** the personalization is made by a local encryption of a content encryption key (CEK), the content, the rights expression voucher, or some combination thereof.

30. (New) A method according to claim 8, **characterized in that** the personalization is made by a local encryption of a content encryption key (CEK), the content, the rights expression voucher, or some combination thereof.

31. (New) A mobile device according to claim 12, **characterized in that** the personalization is made by a local encryption of a content encryption key (CEK), the content, the rights expression voucher, or some combination thereof.

32. (New) A network according to claim 17, **characterized in**



Serial No. 10/059,099

**that** the personalization is made by a local encryption of a content encryption key (CEK), the content, the rights expression voucher, or some combination thereof.